| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| Abdel-Malek, Tony | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| Abramson, Dustin | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 9.0 | 1.0 | 10.0 | 10.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:36 | 0:36 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:49 | 8/27/26 9:00 | 0:10 | 0.0 | | 0.0 | 0.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:44 | 8/27/26 9:56 | 0:11 | 0.0 | | 0.0 | 0.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:41 | 8/27/26 16:07 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:30 | 8/28/26 9:50 | 0:19 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:29 | 0.5 | | 0.5 | 0.5 |
| **Abreha, Lidya** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 2.5 | 3.5 | 3.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:03 | | 1.0 | 1.0 | 1.0 |
| **Adams, Allison** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 2.0 | 2.5 | 2.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Adams, Ben** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Adams, Erica** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 5.5 | 8.0 | 8.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:48 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:29 | 0:29 | | 0.5 | 0.5 | 0.5 |
| Adams, Gregory | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 10.5 | 1.0 | 11.5 | 11.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:36 | 0:36 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:21 | 8/26/26 12:25 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:20 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:26 | 8/27/26 9:56 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| **Adams, Misty** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 3.0 | 6.0 | 6.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:29 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Adams, Mitch** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Adu-Sarkodie, Kwabena** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 1.0 | 4.5 | 4.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:44 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Agarwal, Divyat** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Agoro, Olalekan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 1.5 | 2.5 | 2.5 |
| | What's Coming Down The Pipe | 8/26/26 8:43 | 8/26/26 8:58 | 0:15 | 0.0 | | 0.0 | 0.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:45 | 8/26/26 10:40 | 0:54 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| **Akala, Vasant** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.0 | 1.5 | 1.5 | 1.5 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:36 | 8/26/26 17:01 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Akles, Tony** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 4.5 | 9.5 | 9.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:29 | 0:29 | | 0.5 | 0.5 | 0.5 |
| **Al-Farsi, Mohammed** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Alexander, Andrea** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 8.0 | 5.5 | 13.5 | 13.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:58 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:37 | 8/26/26 10:05 | 0:27 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:48 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:29 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:52 | 0:32 | | 0.5 | 0.5 | 0.5 |
| **Alger, Kyle** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 9.5 | 13.5 | 13.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:32 | 8/26/26 12:25 | 0:52 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:24 | 0:54 | | 1.0 | 1.0 | 1.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend’s CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:49 | 1:09 | | 1.0 | 1.0 | 1.0 |
| **Allen, Blaich** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Allen, Tyler** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 2.0 | 4.5 | 4.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:36 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:10 | 0:50 | 1.0 | | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Almeter, Clara** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Alston, Timothy** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.0 | 2.0 | 7.0 | 7.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:04 | 8/26/26 8:36 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:18 | 8/26/26 11:16 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:34 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:24 | 0:54 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 10:40 | 0:00 | 0.0 | | 0.0 | 0.0 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 9:03 | 8/28/26 9:04 | 0:00 | 0.0 | | 0.0 | 0.0 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Andalib, Mehran** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Anders, Mackenzie** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Anderson, Jay** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.5 | 6.0 | 11.5 | 11.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:13 | 8/26/26 16:25 | 0:11 | | 0.0 | 0.0 | 0.0 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:07 | 0:27 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Anderson, John** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 7.0 | 12.0 | 12.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:49 | 1:09 | | 1.0 | 1.0 | 1.0 |
| **Anderson, Paul** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.5 | 2.0 | 7.5 | 7.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:36 | 0:36 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:25 | 0:55 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Anderson, Rhonda** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 6.5 | 3.5 | 10.0 | 10.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:36 | 0:36 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:40 | 8/27/26 15:40 | 0:00 | 0.0 | | 0.0 | 0.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:29 | 0:29 | | 0.5 | 0.5 | 0.5 |
| **Aninyei, Bethel** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 5.0 | 10.0 | 10.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:10 | 0:50 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:25 | 0:55 | | 1.0 | 1.0 | 1.0 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:44 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 9:00 | 8/28/26 9:07 | 0:07 | | 0.0 | 0.0 | 0.0 |
| | Ethics in Engineering | 8/28/26 9:56 | 8/28/26 10:23 | 0:26 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 11:09 | 8/28/26 11:44 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Arroyo, Daniel** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 1.5 | 4.5 | 4.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:58 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Baggett, Nathan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.5 | 0.5 | 6.0 | 6.0 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Risk Based Asset Management for Utilities | 8/27/26 8:10 | 8/27/26 8:25 | 0:14 | | 0.0 | 0.0 | 0.0 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 9:57 | 8/27/26 10:30 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Bakubile, Benidel** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Ballah, Jacob** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Barding, Aaron** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 1.0 | 2.5 | 2.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Barthel, Brandon** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.5 | 1.5 | 1.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Bartos, Joe** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.5 | 3.0 | 3.0 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:31 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Bastin, Jessica** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 4.0 | 6.5 | 6.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:20 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:23 | 8/28/26 9:48 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Batman, Paul** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 2.5 | 4.0 | 4.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:26 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Baxter, Chad** | | | | | | | | |
| | **Credits Requested:** Drinking Water | | | **Total Credits Earned** | 3.0 | 2.0 | 5.0 | 5.0 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:54 | 0:34 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Beeching, Spencer** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Beisiegel, Jamin** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 7.0 | 2.5 | 9.5 | 9.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:58 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:49 | 8/26/26 15:20 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:01 | 8/28/26 8:30 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:48 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Benoit, Brigette** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 6.5 | 3.5 | 10.0 | 10.0 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:22 | 8/28/26 9:51 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Berlad, Daniel** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Berube, Steve** | | | | | | | | |
| | **Credits Requested:** Drinking Water, PDHs, Wastewater | | | **Total Credits Earned** | 2.5 | 0.0 | 2.5 | 2.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:02 | 8/26/26 8:36 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Bielanski, Jay** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:20 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Bigelow, Todd** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.0 | 1.5 | 8.5 | 8.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Billings, Melissa** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Binkerd, Adam** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Binkerd, Olivia** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Bishir, Brian** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Bishir, Jerry** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 8.0 | 0.0 | 8.0 | 8.0 |
| | Small Plants Need Dewatering Too | 8/26/26 8:45 | 8/26/26 9:00 | 0:14 | 0.0 | | 0.0 | 0.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:35 | 8/28/26 11:50 | 0:14 | 0.5 | | 0.5 | 0.5 |
| **Blair, Tyler** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Bland, Brian** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.0 | 4.5 | 11.5 | 11.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:20 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Boetcker, Bill** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:20 | 0:00 | 0.0 | | 0.0 | 0.0 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Boisvert, Christophe** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| **Bolyard, Zach** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Bontrager-Singer, Jamey** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.5 | 5.5 | 13.0 | 13.0 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:42 | 8/26/26 10:40 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:48 | 8/26/26 11:16 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:03 | 8/26/26 17:00 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:54 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:15 | 8/27/26 13:25 | 0:10 | 0.0 | | 0.0 | 0.0 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Borders, Cory** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Bourke, Alex** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 1.0 | 3.0 | 3.0 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:31 | 8/27/26 9:00 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:26 | 8/27/26 9:56 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Bowley, Laura** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Bowron, Ian** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 2.0 | 3.0 | 3.0 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Chaos-Proof | 8/27/26 15:42 | 8/27/26 16:10 | 0:27 | | 0.5 | 0.5 | 0.5 |
| **Boyer, Terrence** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:20 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Braga, Francisca** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 9:00 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Bretl, Andrea** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Brindle, Cory** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.5 | 0.5 | 8.0 | 8.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Britto, Alexandra** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:54 | 8/27/26 8:25 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Brooks, Miran** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Brown, Jeff** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 2.0 | 4.0 | 4.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:35 | 8/27/26 11:05 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Brown, Kelly** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 11:08 | 8/26/26 11:09 | 0:00 | 0.0 | | 0.0 | 0.0 |
| **Bruce, Mark** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:36 | 8/27/26 11:05 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Bruce, Tyler** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Brune, Nathan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 1.5 | 5.5 | 5.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Buechler, PE, ENV SP, Dylan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.5 | 2.0 | 7.5 | 7.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:35 | 8/27/26 11:05 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Burgelin, John** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 3.5 | 7.0 | 7.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:53 | 8/27/26 8:25 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:41 | 8/28/26 11:50 | 1:08 | | 1.0 | 1.0 | 1.0 |
| **Burkhart, Darren** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Burns, Aaron** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 1.0 | 5.5 | 5.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:32 | 8/27/26 9:00 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Burroughs, Benjamin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Butler, Bryan** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.0 | 1.0 | 6.0 | 6.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:10 | 0:50 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:22 | 8/27/26 13:25 | 0:03 | 0.0 | | 0.0 | 0.0 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Butts, Samantha** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:36 | 8/26/26 10:05 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Byam, Daniel** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 0.5 | 4.0 | 4.0 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:54 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Calhoun, Travis** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.5 | 1.5 | 3.0 | 3.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 9:00 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Canterbury, Zach** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Carl, David** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Carlson, Cheryl** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 2.0 | 4.0 | 4.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:38 | 8/26/26 10:05 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Castro Jackson, Katie** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 3.5 | 5.5 | 5.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:39 | 8/27/26 16:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Chaffee, Kevin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Charlson, Christian** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.0 | 2.5 | 2.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Chinn, Jeff** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Chiu, Daphne** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 1.0 | 4.0 | 4.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Chmeliwskyj, Mark** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.0 | 2.5 | 2.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Chung, Emily** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 1.0 | 5.5 | 5.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Clark, David** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 4.0 | 5.5 | 5.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Clements, Samantha** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| **Cole, Kim** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 1.5 | 3.5 | 3.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:48 | 0:28 | | 0.5 | 0.5 | 0.5 |
| **Collier, Connor** | | | | | | | | |
| | **Credits Requested:** Drinking Water | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Collier, Kannon** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.0 | 0.5 | 1.5 | 1.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:11 | 8/27/26 8:25 | 0:13 | | 0.0 | 0.0 | 0.0 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Collins, John** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 9.0 | 1.5 | 10.5 | 10.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:36 | 0:36 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:44 | 8/27/26 9:56 | 0:11 | 0.0 | | 0.0 | 0.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Comer, Kristin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 0.5 | 4.0 | 4.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:22 | 8/26/26 15:20 | 0:58 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:51 | 8/27/26 9:01 | 0:09 | 0.0 | | 0.0 | 0.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:34 | 8/27/26 11:05 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Corbin III, Pete** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 1.0 | 2.5 | 2.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Corsaro, Pete** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.0 | 1.0 | 8.0 | 8.0 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:27 | 8/26/26 12:25 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:25 | 8/27/26 9:56 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:54 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Couse, Terri** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 3.0 | 5.0 | 5.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Energy - Hands On Lockout Tagout Presentation | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:34 | 8/26/26 16:59 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Cox, Drew** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| **Crabtree, Brendon** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Criss-Hartwig, Theresa** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Crow, Aaron** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Cunningham, Michael** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 1.0 | 2.5 | 2.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Currie, Kaitlyn** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 1.0 | 2.0 | 2.0 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Curry, Jennifer** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 4.5 | 6.0 | 6.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:33 | 8/27/26 9:00 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:30 | 8/28/26 8:30 | 0:00 | | 0.0 | 0.0 | 0.0 |
| **Cushing, Henry** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Cutshaw, Dan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:51 | 8/27/26 8:25 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Czarnik, Jim** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 6.5 | 2.0 | 8.5 | 8.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:10 | 0:50 | 1.0 | | 1.0 | 1.0 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:26 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Czerniakowski, Kevin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 6.5 | 3.0 | 9.5 | 9.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:36 | 0:36 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Das Lappin, Maithilee** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 5.0 | 5.5 | 5.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:49 | 8/27/26 9:01 | 0:11 | 0.0 | | 0.0 | 0.0 |
| | LDI Meet & Greet | 8/27/26 13:03 | 8/27/26 14:00 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | Chaos-Proof | 8/27/26 15:12 | 8/27/26 15:42 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Davenport, Aaron** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Davidson, Derek** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:41 | 8/27/26 16:42 | 0:00 | 0.0 | | 0.0 | 0.0 |
| **Davis, Carmen** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 10.0 | 4.5 | 14.5 | 14.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:20 | 8/26/26 12:25 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:39 | 8/27/26 16:06 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Davis, Nathanael** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 10.5 | 0.5 | 11.0 | 11.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Davison, Brian** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 6.5 | 3.5 | 10.0 | 10.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:20 | 8/26/26 12:25 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:36 | 8/27/26 9:01 | 0:24 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:21 | 8/28/26 9:50 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **De Cristofaro, Luis** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Deahl, Teddy** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:05 | 8/26/26 8:37 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Decker, Randy** | | | | | | | | |
| | **Credits Requested:** Drinking Water | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:10 | 0:50 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Deegan, Daragh** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 7.0 | 3.0 | 10.0 | 10.0 |
| | What's Coming Down The Pipe | 8/26/26 8:01 | 8/26/26 8:59 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:04 | 8/26/26 17:00 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:28 | | 0.5 | 0.5 | 0.5 |
| **Delisle, Nathan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 0.0 | 3.5 | 3.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Deneau, Mary** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:44 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **DeWitt, Jeff** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Dezelan, Nicholas** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 5.0 | 2.0 | 7.0 | 7.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:10 | 0:50 | 1.0 | | 1.0 | 1.0 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:54 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **DICKMAN, JOE** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 2.5 | 0.5 | 3.0 | 3.0 |
| | Physical and Chemical Process | 8/26/26 15:04 | 8/26/26 15:20 | 0:16 | 0.0 | | 0.0 | 0.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Dillon, Cameron** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Dillon, Kathy** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.0 | 0.5 | 7.5 | 7.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| DiQuisto, Kevin | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 0.5 | 4.0 | 4.0 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:31 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Dixon, Brianna** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Dompke, Scott** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 2.0 | 3.0 | 3.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:52 | 8/27/26 8:25 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:02 | 8/28/26 8:30 | 0:27 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Doub, Bret** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 0.5 | 2.0 | 2.5 | 2.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:26 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | Chaos-Proof | 8/27/26 15:44 | 8/27/26 16:10 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Dove, White** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Drinnon, Andrew** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Dryer, Brady** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Duan, Yan** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.5 | 3.0 | 3.0 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Dufek, John** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 2.5 | 7.0 | 7.0 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Dumas, James** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Dunn, Keegan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 3.0 | 6.5 | 6.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:10 | 0:50 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:27 | 8/27/26 9:56 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Dwyer, Michael** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 1.0 | 4.5 | 4.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy…An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Early, Kimberly** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 4.0 | 7.5 | 7.5 |
| | What's Coming Down The Pipe | 8/26/26 8:01 | 8/26/26 8:59 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:10 | 8/27/26 16:10 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems… | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:21 | 8/28/26 9:49 | 0:27 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:42 | 8/28/26 11:44 | 1:02 | | 1.0 | 1.0 | 1.0 |
| **Earnest, Kevin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Eash, Taylor** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 3.5 | 4.5 | 4.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:45 | 8/26/26 11:15 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Edwards, Nicholas** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.0 | 0.0 | 11.0 | 11.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Egli, Bryan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| **Ehlinger, Sierra** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.5 | 2.0 | 6.5 | 6.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:27 | 8/27/26 9:56 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Eichhorst, Jessica** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.0 | 1.5 | 1.5 | 1.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 15:46 | 8/26/26 16:25 | 0:38 | | 0.5 | 0.5 | 0.5 |
| **Eilerman, Nicholas** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 0.0 | 2.5 | 2.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:27 | 8/27/26 9:56 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Eldridge, Benjamin** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 4.5 | 2.5 | 7.0 | 7.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Elfreich, Matthew** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:22 | 8/26/26 11:16 | 0:53 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| **Elliott, Rylan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Elsenbroek, Kisch** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:34 | 8/27/26 11:05 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Erwin, Casey** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 0.5 | 5.0 | 5.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Eschweiler, Mitchell** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Estupinan, Vicente** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 1.5 | 4.0 | 4.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:36 | 8/27/26 9:01 | 0:24 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Etzler, Bill** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 1.5 | 3.0 | 3.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:36 | 8/26/26 17:01 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| **Euclide, Jack** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Evans, Annabelle** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 2.5 | 5.0 | 5.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 16:09 | 8/27/26 16:09 | 0:00 | 0.0 | | 0.0 | 0.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| Evans, John | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| Fahel, Anthony | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 12.0 | 1.5 | 13.5 | 13.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:26 | 8/27/26 9:56 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Fahey, Kieran** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Fan, Jonathan** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 1.0 | 2.5 | 2.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Fanning, Scott** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Farmer, Jeff** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:34 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:11 | 8/27/26 8:25 | 0:14 | | 0.0 | 0.0 | 0.0 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Farrell, Craig** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 1.0 | 5.5 | 5.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:23 | 8/26/26 11:16 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:21 | 8/27/26 16:10 | 0:48 | | 0.5 | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Faust, Emily** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 1.5 | 3.0 | 3.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Feng, Wenguo** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.5 | 3.0 | 3.0 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Ferguson, Mitchell** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 0.0 | 3.5 | 3.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Ferguson, Nick** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.0 | 1.0 | 6.0 | 6.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:37 | 8/27/26 16:10 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Fessler, William** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.5 | 1.0 | 12.5 | 12.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:27 | 8/26/26 12:25 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:08 | 8/28/26 11:50 | 0:41 | 0.5 | | 0.5 | 0.5 |
| **Fick, Ryan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Fisher, Vanessa** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 10.0 | 2.5 | 12.5 | 12.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:27 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:51 | 8/27/26 11:05 | 0:13 | 0.0 | | 0.0 | 0.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| Fix, Bradley | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.0 | 3.5 | 10.5 | 10.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Energy - Hands On Lockout Tagout Presentation | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:21 | 8/28/26 9:50 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Flamion, Drew** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 4.0 | 7.0 | 7.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:12 | 8/27/26 16:10 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Fletcher, Jim** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 8.5 | 1.0 | 9.5 | 9.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| | Physical and Chemical Process | 8/26/26 15:05 | 8/26/26 15:20 | 0:14 | 0.0 | | 0.0 | 0.0 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:40 | 8/27/26 16:10 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| Foltz, Grace | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 2.0 | 3.0 | 3.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| Fowler, Jacob | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 4.5 | 5.5 | 5.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:42 | 8/26/26 10:40 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| Fox, Arizona | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| Francis, Johnny | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.5 | 3.0 | 8.5 | 8.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:41 | 8/27/26 16:10 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Franz, Chris** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 1.5 | 4.5 | 4.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Frauhiger, L. Todd** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 5.0 | 7.0 | 7.0 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:10 | 8/28/26 10:23 | 1:12 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:49 | 1:09 | | 1.0 | 1.0 | 1.0 |
| **Frentzel, Connor** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.0 | 2.5 | 7.5 | 7.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:33 | 8/26/26 12:25 | 0:51 | | 1.0 | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:21 | 8/28/26 9:50 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Fuller, Ashton** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 2.0 | 2.0 | 2.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| **Furiak, Andrea** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.0 | 1.5 | 6.5 | 6.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Gaff, Jeffrey** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Gaines, Becki** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Gammer, Steve** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Gangstad, Michael** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 4.0 | 7.5 | 7.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Gardner, Nikki** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 1.5 | 3.5 | 3.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Garnes, Greg** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Garrett, Darin** | | | | | | | | |
| | **Credits Requested:** Drinking Water, Wastewater | | | **Total Credits Earned** | 6.0 | 0.5 | 6.5 | 6.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:07 | 8/28/26 11:50 | 0:42 | 0.5 | | 0.5 | 0.5 |
| **Garringer, Michael** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Garrod, TC** | | | | | | | | |
| | **Credits Requested:** Drinking Water, Wastewater | | | **Total Credits Earned** | 9.5 | 1.0 | 10.5 | 10.5 |
| | What's Coming Down The Pipe | 8/26/26 8:14 | 8/26/26 8:59 | 0:44 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:34 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:40 | 8/27/26 16:10 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Garvey, Kate** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 1.0 | 2.5 | 2.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:10 | 0:50 | 1.0 | | 1.0 | 1.0 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| **Gellner, James** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 2.0 | 3.0 | 3.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| **George, Tim** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 1.5 | 2.0 | 2.0 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:40 | 8/27/26 10:27 | 0:46 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |
| **Glennon, Kyle** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 0.5 | 4.0 | 4.0 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:30 | 0:00 | | 0.0 | 0.0 | 0.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Glessner, Bill** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 2.0 | 4.0 | 4.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:41 | 8/26/26 10:40 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| **Glover, Jeff** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 2.5 | 3.5 | 3.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Goldsberry, Leroy** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.5 | 3.0 | 7.5 | 7.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Gonzales, Nicholas** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 1.0 | 4.0 | 4.0 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **gonzalez, omar** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.5 | 0.0 | 4.5 | 4.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Goodnight, Anthony** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Grace Pepperman, Grace Pepperman** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 3.0 | 4.0 | 4.0 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:24 | 8/26/26 15:22 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Graham, John** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Gralik, Phillip** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| Grant, Ian | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 7.5 | 2.0 | 9.5 | 9.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| Green, Matt | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 1.5 | 2.0 | 2.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:19 | 8/27/26 13:25 | 0:05 | 0.0 | | 0.0 | 0.0 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| **Gress, Steven** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 0.5 | 5.5 | 5.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:20 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:44 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:41 | 8/28/26 11:10 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Griffin, Jeffrey** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Guerin, Matt** | | | | | | | | |
| | **Credits Requested:** Drinking Water | | | **Total Credits Earned** | 2.5 | 2.0 | 4.5 | 4.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Gustafson, Laura** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 4.0 | 7.5 | 7.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:02 | 8/26/26 15:22 | 1:19 | | 1.0 | 1.0 | 1.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:25 | 8/27/26 9:56 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |
| **Gutwein, Ethan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Guyer, Chad** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 2.0 | 3.5 | 3.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:41 | 8/26/26 10:40 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:29 | 8/26/26 12:25 | 0:55 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| **Haase, Erin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 2.0 | 4.0 | 4.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:53 | 8/27/26 8:25 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Haenlein, Eric** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 4.0 | 5.5 | 5.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | SRF Updates | 8/28/26 8:01 | 8/28/26 8:30 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:41 | 8/28/26 11:50 | 1:08 | | 1.0 | 1.0 | 1.0 |
| **Hahn, Leighanne** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.5 | 3.0 | 4.5 | 4.5 |
| | What's Coming Down The Pipe | 8/26/26 8:46 | 8/26/26 8:59 | 0:13 | 0.0 | | 0.0 | 0.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:34 | 8/26/26 12:25 | 0:50 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Hai, Alice** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 2.5 | 3.5 | 3.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Hammerle, Tyler** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 10.5 | 3.5 | 14.0 | 14.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:34 | 8/26/26 12:25 | 0:50 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:03 | 8/26/26 17:00 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:28 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Hanley, Chad** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 2.5 | 2.0 | 4.5 | 4.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:34 | 8/26/26 12:25 | 0:50 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Hardin, chase** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 2.5 | 2.0 | 4.5 | 4.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:37 | 8/26/26 10:05 | 0:27 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:38 | 8/27/26 8:39 | 0:01 | 0.0 | | 0.0 | 0.0 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Hardy, Jeremy** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 3.5 | 7.5 | 7.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:01 | 8/28/26 8:30 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Harkness, Mike** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Harner, Josh** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.5 | 3.0 | 8.5 | 8.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:11 | 0:51 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:52 | 8/27/26 8:25 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Harrison, Chris** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **hartman, ryan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 1.5 | 2.5 | 2.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:03 | 8/26/26 17:00 | 0:57 | 1.0 | | 1.0 | 1.0 |
| **Harvey, David** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 8.0 | 4.5 | 12.5 | 12.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:12 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:42 | 8/27/26 16:10 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:29 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Harvey, Spenser** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.5 | 1.5 | 6.0 | 6.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:03 | 8/26/26 8:37 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:32 | 8/27/26 9:00 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Hasenour, Brenton** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Hasnan, Hurin Hasana binti** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 1.5 | 3.5 | 3.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |
| **Hatcher, Ragen** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.0 | 0.0 | 0.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:01 | 8/26/26 8:09 | 0:08 | 0.0 | | 0.0 | 0.0 |
| **Healy, Tim** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 5.0 | 7.5 | 7.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:42 | 8/27/26 16:10 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:23 | 0:03 | | 0.0 | 0.0 | 0.0 |
| | Ethics in Engineering | 8/28/26 9:22 | 8/28/26 10:23 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Hedges, Fredrick** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.5 | 1.0 | 12.5 | 12.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:34 | 8/26/26 12:25 | 0:50 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:13 | 0:53 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:07 | 8/28/26 11:50 | 0:42 | 0.5 | | 0.5 | 0.5 |
| **Henderson, Dave** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.5 | 2.5 | 6.0 | 6.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:30 | 8/26/26 12:25 | 0:54 | | 1.0 | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| **Hendricks, Mike** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.5 | 2.0 | 6.5 | 6.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:28 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Hendrix, Coryn** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 1.0 | 4.0 | 4.0 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Henschen, Steven** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.5 | 6.5 | 12.0 | 12.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:13 | 0:53 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:38 | 8/27/26 11:05 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Hickey, Connor** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Hicks, Keith** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Hilt, Alex** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Hobson, Brad** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Hodge, Catherine** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| **Hoff, Jason** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| **Hoffman, Jacob** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 0.0 | 4.5 | 4.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:12 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Holden, Robert** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Holdren, Erin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 0.0 | 4.0 | 4.0 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Holsinger, Keaton** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.5 | 4.0 | 4.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Hood, Bryan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 3.5 | 7.0 | 7.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Hood, Dominic** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 1.0 | 3.0 | 3.0 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Hood, Josh** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:32 | 8/27/26 9:00 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| Hoover, Kelly | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| Hu, Xiaobai | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 0:59 | 1.0 | | 1.0 | 1.0 |
| Huang, Conghui | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 2.5 | 7.0 | 7.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:41 | 8/26/26 10:40 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:27 | 8/26/26 12:25 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:45 | 8/27/26 9:00 | 0:14 | 0.0 | | 0.0 | 0.0 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:23 | 8/28/26 9:51 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Hudson, Daniel** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.0 | 1.0 | 8.0 | 8.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:28 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:39 | 8/27/26 16:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Huey, Russell** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Huff, Tyler** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| **Humphress, Jackie** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:54 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Humphries, Misty** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **HUMPHRIES, PATRICIA** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 9.5 | 2.0 | 11.5 | 11.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Energy - Hands On Lockout Tagout Presentation | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Hundt, Scott** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 14.5 | 1.0 | 15.5 | 15.5 |
| | Wastewater Exam Prep | 8/26/26 8:00 | 8/26/26 11:40 | 3:39 | 3.5 | | 3.5 | 3.5 |
| | Wastewater Exam Prep | 8/26/26 13:00 | 8/26/26 14:35 | 1:34 | 1.5 | | 1.5 | 1.5 |
| | Wastewater Exam Prep | 8/26/26 15:15 | 8/26/26 16:50 | 1:34 | 1.5 | | 1.5 | 1.5 |
| | Wastewater Exam Prep | 8/27/26 8:00 | 8/27/26 11:40 | 3:39 | 3.5 | | 3.5 | 3.5 |
| | Wastewater Exam Prep | 8/27/26 13:00 | 8/27/26 14:35 | 1:34 | 1.5 | | 1.5 | 1.5 |
| | Wastewater Exam Prep | 8/27/26 15:15 | 8/27/26 16:50 | 1:34 | 1.5 | | 1.5 | 1.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:21 | 8/28/26 9:49 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Hunsucker, Scott** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.5 | 0.5 | 12.0 | 12.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:12 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Hunter, Joseph** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.5 | 1.0 | 4.5 | 4.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:12 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| Husband, Bailey | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.5 | 1.5 | 9.0 | 9.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:13 | 0:53 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Huston, John** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | The virtual wastewater world | 8/28/26 8:10 | 8/28/26 8:30 | 0:19 | 0.0 | | 0.0 | 0.0 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:21 | 8/28/26 9:50 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Hutton, Aaron** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.5 | 0.5 | 6.0 | 6.0 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:54 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Hyatt, Bob** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Hyden, Larry** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 1.5 | 5.5 | 5.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:13 | 8/28/26 10:23 | 1:09 | | 1.0 | 1.0 | 1.0 |
| **Ingram, Bridget** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 6.0 | 6.0 | 12.0 | 12.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Ingram, Jason** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Irwin, Tory** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Irwin, Tracey** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 2.0 | 7.0 | 7.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:12 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Islam, Nilufar** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.5 | 6.0 | 11.5 | 11.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:46 | 8/26/26 9:00 | 0:13 | 0.0 | | 0.0 | 0.0 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:12 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:12 | 8/27/26 13:25 | 0:12 | 0.0 | | 0.0 | 0.0 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:21 | 8/28/26 10:23 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Iwamoto, Takumi** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 0.5 | 4.0 | 4.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:52 | 8/27/26 8:25 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Jackson, Camren** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Jeter, Christopher** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Jiang, Yuxin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 1.0 | 3.0 | 3.0 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:01 | 8/26/26 17:00 | 0:59 | 1.0 | | 1.0 | 1.0 |
| **Johnson, Cole** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 1.5 | 4.0 | 4.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Johnson, Mallory** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Jones, Jasper** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 0.0 | 4.0 | 4.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:12 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Jones, Sally** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 1.0 | 2.0 | 2.0 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Jordan, Bob** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Judson, Travis** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 0.5 | 3.0 | 3.0 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Kassebaum, Nathan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:34 | 8/27/26 11:05 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Kasuboski, Jordan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.5 | 4.0 | 4.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:27 | 8/27/26 9:56 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Kaufman, Chris** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 4.5 | 4.5 | 4.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:43 | 8/26/26 10:40 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Keating, Josh** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 1.0 | 4.5 | 4.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:12 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Kendrick, Kraig** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Kerezman, Jim** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 9.5 | 0.0 | 9.5 | 9.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:12 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:37 | 8/27/26 16:10 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Kern, Shaun** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 6.0 | 2.5 | 8.5 | 8.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:05 | 8/26/26 8:37 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:28 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:02 | 8/28/26 8:30 | 0:27 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Kiep, Brad** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Kieres, Lori Anne** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 2.0 | 2.0 | 2.0 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:23 | 1:03 | | 1.0 | 1.0 | 1.0 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |
| **Killion, Shannon** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 3.5 | 4.0 | 4.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:27 | 8/26/26 12:25 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| **Kim, Young Jun** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| Kirk, Andrew | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.5 | 1.0 | 12.5 | 12.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:37 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:32 | 8/27/26 10:28 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:21 | 8/28/26 9:50 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Kirksey, Darrell** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:17 | 8/27/26 10:30 | 0:12 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Kirwa, Sylvia** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 2.0 | 5.0 | 5.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Klein, Hannah** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.0 | 2.5 | 2.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 10:41 | 0:01 | | 0.0 | 0.0 | 0.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Kleinsmith, Jordan** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 9.0 | 2.5 | 11.5 | 11.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:29 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:44 | 8/28/26 9:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:29 | 0.5 | | 0.5 | 0.5 |
| **Klosinski, Jacob** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.5 | 6.0 | 13.5 | 13.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:27 | 8/26/26 12:25 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:34 | 8/27/26 11:05 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Knapke, Tom** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 12.0 | 1.0 | 13.0 | 13.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:13 | 0:53 | 1.0 | | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:25 | 8/27/26 9:56 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Knapp, Tamera** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 1.0 | 3.0 | 3.0 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Kramer, Daniel** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.5 | 1.0 | 8.5 | 8.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:13 | 0:53 | 1.0 | | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:32 | 8/27/26 9:00 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:27 | 8/27/26 9:56 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Krotke, Jeff** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.0 | 2.5 | 5.5 | 5.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:13 | 0:53 | 1.0 | | 1.0 | 1.0 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:29 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:19 | 8/27/26 13:25 | 0:05 | 0.0 | | 0.0 | 0.0 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Kuhn, Abigail** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:33 | 8/27/26 9:00 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:27 | 8/27/26 9:56 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Kuiper, Lee** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Ladd, Gary** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.0 | 2.5 | 9.5 | 9.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:29 | 8/26/26 12:25 | 0:55 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:13 | 0:53 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:52 | 8/27/26 8:25 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Laker, Eric** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:14 | 0:54 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Lamberton, Lloyd** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 2.0 | 1.0 | 3.0 | 3.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 14:55 | 0:00 | 0.0 | | 0.0 | 0.0 |
| **Landers, Jeff** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Langer, Lance** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 1.0 | 4.0 | 4.0 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:23 | 8/28/26 9:51 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **LaReau, Ryan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 1.0 | 4.0 | 4.0 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Leal, Felipe** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.0 | 2.5 | 2.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Lee, Hannah** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Lee, Rebecca** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Leestma, Jake** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 1.5 | 3.5 | 3.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:29 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **LEIMBACHER, LEAH** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.0 | 2.5 | 9.5 | 9.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:04 | 8/26/26 8:38 | 0:33 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:27 | 8/27/26 9:00 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Leonard, Bryan** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.5 | 1.0 | 8.5 | 8.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:25 | 8/27/26 9:56 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Lexsa, Dan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 6.5 | 11.0 | 11.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:10 | 8/27/26 16:10 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Liming, Josh** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Linley, Kristian** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.5 | 4.0 | 11.5 | 11.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:31 | 8/26/26 12:25 | 0:53 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Liu, Kun** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 1.5 | 4.5 | 4.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:29 | 8/26/26 12:25 | 0:55 | | 1.0 | 1.0 | 1.0 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **LOHMOELLER, JEFF** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 10.0 | 0.0 | 10.0 | 10.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:14 | 0:54 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 15:42 | | | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 9:57 | 8/27/26 10:30 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Lord, Scott** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Lowe, Darrin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Lozano-Shane, Serena** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** | | | **Total Credits Earned** | 5.5 | 4.5 | 10.0 | 10.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:04 | 8/26/26 17:00 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:27 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Lucas, Mark** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 6.0 | 3.0 | 9.0 | 9.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Lueders, Blake** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:53 | 0:33 | 0.5 | | 0.5 | 0.5 |
| **Lynch, Jessica** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Lyons, Nicholas** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:26 | 8/27/26 9:56 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Machlan, Michael** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 9.0 | 14.0 | 14.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:22 | 8/26/26 15:22 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:20 | 8/27/26 13:25 | 0:05 | 0.0 | | 0.0 | 0.0 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Mackenbach, Kari** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Mackey, Neil** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.0 | 0.0 | 11.0 | 11.0 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:17 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:27 | 8/27/26 9:56 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:39 | 8/27/26 16:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Macomber, Jeff** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 1.0 | 4.0 | 4.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| **Madison, Gracie** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 2.0 | 2.0 | 2.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Magby, Timothy** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.0 | 1.0 | 12.0 | 12.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:37 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:14 | 0:54 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Manes, Katelyn** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 5.5 | 8.5 | 8.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:41 | 8/26/26 10:40 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Mann, Emma** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 1.0 | 2.5 | 2.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Mann, Tom** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 10.5 | 2.5 | 13.0 | 13.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:36 | 8/26/26 10:05 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Marshall, Tracie** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Marten, Mitchell** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.5 | 1.5 | 1.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Martin, Brian** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 3.5 | 4.5 | 4.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Massey, Brandon** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:38 | 8/26/26 10:05 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Maupin, Travis** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| **Maxwell, Kari** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 1.5 | 2.5 | 2.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:37 | 8/26/26 10:05 | 0:27 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **McBride, Tiffany** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.5 | 3.0 | 7.5 | 7.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **McCann, Carol** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **McCauley, Mac** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 2.0 | 4.5 | 4.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 10:57 | 0:07 | | 0.0 | 0.0 | 0.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Energy - Hands On Lockout Tagout Presentation | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **McClellan, Frank** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 8.5 | 0.5 | 9.0 | 9.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:17 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **McNees, Elizabeth** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **McRae, Amber** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.5 | 1.0 | 5.5 | 5.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Medina, Carlos** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:45 | 8/28/26 9:10 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Meiners, Camille** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 3.5 | 5.5 | 5.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:14 | 8/27/26 13:25 | 0:11 | 0.0 | | 0.0 | 0.0 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:25 | 8/28/26 10:24 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Mejia Melara, Catherinne** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 1.5 | 2.0 | 2.0 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |
| **Meredith, Jerin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 0:59 | | 1.0 | 1.0 | 1.0 |
| **Merkle, Katherine** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Merkle, Wes** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 1.0 | 4.5 | 4.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Meulen, Nicholas** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Milam, Isabella** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 0.0 | 3.5 | 3.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:20 | 8/27/26 13:25 | 0:05 | 0.0 | | 0.0 | 0.0 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Miles, Mike** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 1.5 | 3.5 | 3.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:29 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Miller, Isaac** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 0.0 | 3.0 | 3.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:14 | 0:54 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:43 | 8/26/26 17:00 | 0:16 | | 0.0 | 0.0 | 0.0 |
| **Miller, Jennifer** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Miller, Rick** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Mills, Hunter** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Minelli, Lois** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 2.5 | 4.5 | 4.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:04 | 8/26/26 17:00 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:10 | 8/27/26 16:10 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Mirgeaux, Jonathan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Modi, Hirak** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.0 | 4.5 | 9.5 | 9.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:59 | 8/28/26 9:08 | 0:08 | | 0.0 | 0.0 | 0.0 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Mohler, David** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 3.0 | 6.0 | 6.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:54 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:44 | 8/28/26 11:09 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:53 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Moore, Amy** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.5 | 0.5 | 6.0 | 6.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Moore, Wayne** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Morin, Seth** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Morris, Josh** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 2.0 | 6.0 | 6.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:10 | 8/27/26 13:25 | 0:15 | 0.0 | | 0.0 | 0.0 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| **Morton, Philip** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:59 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:54 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Mowrer, Ronald** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:17 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Mulhall, Mike** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 4.0 | 8.5 | 8.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:32 | 8/26/26 15:20 | 0:48 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:03 | 8/26/26 17:00 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:52 | 8/27/26 8:25 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:10 | 8/27/26 16:10 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Mullett, Robert** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 1.0 | 2.0 | 2.0 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Mulryan, Cody** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.5 | 2.0 | 13.5 | 13.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:14 | 0:54 | 1.0 | | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Murray, David** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.5 | 3.0 | 3.0 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Murray, Liliana** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.5 | 2.5 | 7.0 | 7.0 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| **Murry, Wayne** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 6.0 | 1.5 | 7.5 | 7.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:32 | 8/27/26 9:00 | 0:27 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Musselman, Rob** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Myers, Khylei** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 3.5 | 5.5 | 5.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Mysore, Chandra** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:31 | 8/27/26 10:30 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Møller, Dennis** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.5 | 1.5 | 1.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Neilson, Brian** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 5.0 | 5.5 | 5.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:02 | 8/26/26 15:22 | | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 15:49 | 8/26/26 16:25 | 0:36 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:30 | 8/26/26 17:01 | 0:31 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:41 | 8/28/26 11:09 | 0:27 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Nevill, Tyler** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 5.0 | 0.0 | 5.0 | 5.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:58 | 8/27/26 8:25 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Nibarger, Brent** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.0 | 0.0 | 0.0 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:51 | 8/28/26 9:06 | 0:15 | | 0.0 | 0.0 | 0.0 |
| **Nissen, Michael** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:21 | 8/26/26 12:25 | 1:03 | | 1.0 | 1.0 | 1.0 |
| **Nitka, Jeremy** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 1.0 | 4.5 | 4.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Norton, Jill** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.5 | 3.5 | 8.0 | 8.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:09 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Nunnery, Missy** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Oaks, Heath** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 2.5 | 2.0 | 4.5 | 4.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:37 | 8/26/26 10:05 | 0:27 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:34 | 8/26/26 12:25 | 0:50 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Odle, Kerry** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Osborne, Jeffrey** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 9.5 | 2.0 | 11.5 | 11.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Packard, Kyle** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Page, Robert** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Palmer, Edward** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 6.5 | 4.0 | 10.5 | 10.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:33 | 8/26/26 12:25 | 0:51 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:38 | 8/27/26 16:10 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Pardue, Rob** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.5 | 1.5 | 7.0 | 7.0 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Paredes, Ricardo** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 6.0 | 1.5 | 7.5 | 7.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:14 | 0:54 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Parekh, Vatsal** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 1.5 | 3.5 | 3.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| **Parikshak, Dharmendra** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:09 | 8/26/26 8:38 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:20 | 8/27/26 13:25 | 0:05 | 0.0 | | 0.0 | 0.0 |
| **Parker, Vincent** | | | | | | | | |
| | **Credits Requested:** Wastewater, PDHs | | | **Total Credits Earned** | 8.5 | 5.0 | 13.5 | 13.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Patankar, Jui** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 2.0 | 2.5 | 2.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| **Payne, Brian** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 3.5 | 5.5 | 5.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:01 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Peden, Phil** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 3.5 | 8.0 | 8.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Phillips, Will** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 2.5 | 5.0 | 5.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Pierce, Matthew** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:17 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Pierson, Justin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Pinkerton, Patrick** | | | | | | | | |
| | **Credits Requested:** PDHs, Wastewater | | | **Total Credits Earned** | 4.5 | 7.5 | 12.0 | 12.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:41 | 8/26/26 10:40 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:53 | 8/27/26 8:25 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Plank, Brad** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Poczekay, Jamie** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Pontorno, Chris** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 12.5 | 1.0 | 13.5 | 13.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:29 | 8/26/26 12:25 | 0:55 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:15 | 0:55 | 1.0 | | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Porter, Bill** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 1.0 | 4.5 | 4.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Portz, James** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 4.0 | 8.0 | 8.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:33 | 8/27/26 11:05 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Powell, Russell** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.0 | 2.0 | 6.0 | 6.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:15 | 0:55 | 1.0 | | 1.0 | 1.0 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Powers, Brian** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 5.0 | 6.0 | 6.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:53 | 8/27/26 9:55 | 0:01 | 0.0 | | 0.0 | 0.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Prange, Loren** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Pratt, Tristin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 3.0 | 5.0 | 5.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:37 | 8/26/26 10:05 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:30 | 8/26/26 12:25 | 0:54 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Press, Michelle** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 3.0 | 5.0 | 5.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:25 | 1:05 | | 1.0 | 1.0 | 1.0 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |
| **Preston, Gretta** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Preston, Laura** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 2.0 | 5.0 | 5.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Purser, Morgan** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 1.5 | 2.0 | 2.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Query, Jon** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.0 | 4.5 | 5.5 | 5.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:25 | 1:05 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Quick, Mel** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 3.5 | 7.0 | 7.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Radcliff, Richard** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:21 | 8/28/26 9:50 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| **Ramer, Matthew** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Ramirez, Justin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 3.0 | 4.5 | 4.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:14 | 0:54 | 1.0 | | 1.0 | 1.0 |
| **Ranasinghe, Pubudu** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 1.5 | 4.0 | 4.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Rayarikar, Advita** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 1.5 | 3.5 | 3.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |
| **Redner, Joshua** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 2.5 | 4.5 | 4.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:34 | 8/27/26 9:55 | 0:20 | 0.0 | | 0.0 | 0.0 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:08 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Reed, Benjamin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 2.5 | 4.0 | 4.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Reese, Mick** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 10.0 | 0.0 | 10.0 | 10.0 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:15 | 0:55 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Rekeweg, Mark** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 8.0 | 3.5 | 11.5 | 11.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 15:16 | 8/26/26 15:16 | 0:00 | 0.0 | | 0.0 | 0.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:58 | 8/27/26 8:25 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:39 | 8/27/26 16:10 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:22 | 8/28/26 9:51 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Reto, Danny** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Ribergaard, Johnny** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.5 | 1.5 | 1.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Ricci, Holly** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | What's Coming Down The Pipe | 8/26/26 7:55 | 8/26/26 8:59 | 1:04 | 1.0 | | 1.0 | 1.0 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:50 | 8/27/26 11:05 | 0:14 | 0.0 | | 0.0 | 0.0 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:42 | 8/28/26 9:10 | 0:27 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:23 | 8/28/26 9:51 | 0:28 | 0.5 | | 0.5 | 0.5 |
| **Rickard, Amanda** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 5.0 | 8.0 | 8.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Riggen Jr, Tim** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Riggs, Charlie** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 6.5 | 2.0 | 8.5 | 8.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:15 | 0:55 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Riley, Andrew** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.5 | 2.5 | 14.0 | 14.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:39 | 8/27/26 16:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| Riley, Shannon | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:37 | 8/26/26 10:05 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Risner, Dan** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.5 | 3.0 | 4.5 | 4.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:23 | 8/28/26 10:25 | 1:01 | | 1.0 | 1.0 | 1.0 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Ritter, Cory** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.0 | 0.0 | 3.0 | 3.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:41 | 8/28/26 9:10 | 0:28 | 0.5 | | 0.5 | 0.5 |
| **Roark, Michaela** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.0 | 1.0 | 4.0 | 4.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:09 | 8/26/26 8:38 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:21 | 8/28/26 9:50 | 0:28 | 0.5 | | 0.5 | 0.5 |
| **Robarge, Andrew** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 1.0 | 4.5 | 4.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Robinette, Dorothy** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 9.5 | 2.5 | 12.0 | 12.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Energy - Hands On Lockout Tagout Presentation | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:41 | 8/28/26 11:10 | 0:28 | 0.5 | | 0.5 | 0.5 |
| **Rodrick, C.J.** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.5 | 2.5 | 8.0 | 8.0 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:15 | 0:55 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:27 | 8/27/26 9:56 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Rodriguez, Brandi** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 8.5 | 3.5 | 12.0 | 12.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:01 | | | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Roper, Ralph** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:17 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Roschyk, Jeremy** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 1.5 | 5.0 | 5.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:15 | 0:55 | 1.0 | | 1.0 | 1.0 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:20 | 8/27/26 13:25 | 0:05 | 0.0 | | 0.0 | 0.0 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:01 | 8/28/26 10:30 | 0:28 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:41 | 8/28/26 11:10 | 0:28 | 0.5 | | 0.5 | 0.5 |
| **Rosenow, Anastasia** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.0 | 1.5 | 12.5 | 12.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water...but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:20 | 0:20 | | 0.0 | 0.0 | 0.0 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:24 | 8/28/26 9:24 | 0:00 | 0.0 | | 0.0 | 0.0 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:06 | 8/28/26 11:50 | 0:43 | 0.5 | | 0.5 | 0.5 |
| **Roskowski, Brian** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Rossow, Spencer** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 8.0 | 2.0 | 10.0 | 10.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:16 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:25 | 8/27/26 9:56 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Roudebush, Robert** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 6.0 | 0.0 | 6.0 | 6.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Runge, Rachel** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:20 | 8/27/26 8:25 | 0:04 | | 0.0 | 0.0 | 0.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Ruston, Gary** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 2.5 | 7.5 | 7.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:16 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:21 | 8/28/26 9:49 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:41 | 8/28/26 11:10 | 0:28 | 0.5 | | 0.5 | 0.5 |
| **Rutkowski, Steven** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 5.5 | 10.5 | 10.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Law & Statutes | 8/28/26 10:41 | 8/28/26 11:07 | 0:26 | | 0.5 | 0.5 | 0.5 |
| **Saavedra, Karen** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 7.0 | 4.0 | 11.0 | 11.0 |
| | What's Coming Down The Pipe | 8/26/26 8:02 | 8/26/26 8:59 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:01 | 8/26/26 17:00 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:21 | 8/27/26 9:56 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:31 | 8/27/26 11:05 | 0:33 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:49 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| **Sailor, Dustin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.5 | 5.0 | 12.5 | 12.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:16 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:41 | 8/27/26 16:10 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Sallee, Jeff** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.5 | 0.0 | 3.5 | 3.5 |
| | Physical and Chemical Process | 8/26/26 15:03 | 8/26/26 15:20 | 0:16 | 0.0 | | 0.0 | 0.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| Samuelson, Amy | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 6.0 | 9.5 | 9.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:32 | 8/26/26 12:25 | 0:52 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:01 | | 1.0 | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Santos, Roman** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 2.5 | 5.5 | 5.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:41 | 8/26/26 10:40 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:33 | 8/27/26 9:00 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Sattison, Todd** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 9.5 | 0.0 | 9.5 | 9.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Savka, Lou** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.5 | 1.0 | 1.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Sawyer, Christie** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.0 | 0.5 | 7.5 | 7.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Sawyer, George Monty** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.5 | 0.5 | 8.0 | 8.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Scales, Andy** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Schelling, Natalie** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:32 | 8/27/26 9:00 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Schipper, Ryan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 2.0 | 3.5 | 3.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:22 | 8/28/26 10:24 | 1:01 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:09 | | 1.0 | 1.0 | 1.0 |
| **Schmitt, Jeremy** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.0 | 4.0 | 11.0 | 11.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:37 | 8/27/26 16:10 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:09 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Schroeder, Jane** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Schutte, Matt** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Scott, Emilee** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 1.0 | 4.0 | 4.0 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:33 | 8/27/26 9:00 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Scott, Ian** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 0.0 | 2.5 | 2.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Sears, Mark** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 2.5 | 6.0 | 6.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **See, Bob** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 7.5 | 0.5 | 8.0 | 8.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Selking, Lauren** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 0:59 | | 1.0 | 1.0 | 1.0 |
| **Selvidge, Dalton** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 0.5 | 5.5 | 5.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:58 | 8/27/26 8:25 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:30 | 8/27/26 15:35 | 0:04 | 0.0 | | 0.0 | 0.0 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Sharpe, Alex** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 1.0 | 2.5 | 2.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:55 | 8/27/26 8:25 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **SHELTON, BUD** | | | | | | | | |
| | **Credits Requested:** Drinking Water | | | **Total Credits Earned** | 1.0 | 2.0 | 3.0 | 3.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Shields, James** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 6.0 | 2.0 | 8.0 | 8.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:33 | 8/27/26 9:00 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Shrader, Robin** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 3.5 | 5.5 | 9.0 | 9.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Shrestha, Ina** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Shroyer, Macon** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 8.0 | 1.0 | 9.0 | 9.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:38 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:39 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Shyaka, Prince** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.5 | 3.0 | 8.5 | 8.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:17 | 8/26/26 8:25 | 0:07 | | 0.0 | 0.0 | 0.0 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:35 | 8/27/26 10:30 | 0:54 | | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:24 | 8/27/26 14:00 | 0:35 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:42 | 8/27/26 16:10 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:41 | 8/28/26 8:42 | 0:01 | 0.0 | | 0.0 | 0.0 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Sidler, Ryan** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 3.0 | 7.5 | 7.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Siedlecki, Kevin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.5 | 4.0 | 8.5 | 8.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:31 | 8/26/26 12:25 | 0:53 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| Simnick, Hannah | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:39 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| Simnick, Jason | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 3.5 | 7.0 | 7.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:20 | 8/27/26 13:25 | 0:04 | 0.0 | | 0.0 | 0.0 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Simpkins, Lucas** | | | | | | | | |
| | **Credits Requested:** Drinking Water | | | **Total Credits Earned** | 2.5 | 3.0 | 5.5 | 5.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:36 | 8/26/26 10:05 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Sinnett, Joseph** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.5 | 0.5 | 4.0 | 4.0 |
| | Physical and Chemical Process | 8/26/26 15:03 | 8/26/26 15:20 | 0:16 | 0.0 | | 0.0 | 0.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Sizemore, Dean** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Skehan, Christopher** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 2.0 | 3.0 | 3.0 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Skirvin, Brett** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 9.0 | 3.0 | 12.0 | 12.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Slike, William** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 3.5 | 7.0 | 7.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:31 | 8/27/26 10:30 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Smith, Brian** | | | | | | | | |
| | **Credits Requested:** Drinking Water | | | **Total Credits Earned** | 1.0 | 3.5 | 4.5 | 4.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:33 | 8/27/26 10:30 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Chaos-Proof | 8/27/26 15:10 | 8/27/26 16:10 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Smith, Dustin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:16 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Smith, Eric** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.5 | 4.0 | 4.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:53 | 8/27/26 8:25 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Smith, Jon** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Smith, Katy** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Smith, Kenneth** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 9.0 | 1.5 | 10.5 | 10.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:21 | 8/28/26 9:50 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| Smith, Leon | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.0 | 1.0 | 8.0 | 8.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion Wastewater | | 8/26/26 16:25 | #VALUE! | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:12 | 8/28/26 8:30 | 0:17 | | 0.0 | 0.0 | 0.0 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Smith, Matthew** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.5 | 3.0 | 3.0 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Smith, Michelle** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 9.0 | 2.5 | 11.5 | 11.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Smith, Ryan** | | | | | | | | |
| | **Credits Requested:** Drinking Water | | | **Total Credits Earned** | 1.5 | 1.5 | 3.0 | 3.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Smith, Sharnta** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 8.0 | 2.5 | 10.5 | 10.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:33 | 8/27/26 10:30 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Smitley, Amy** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 4.0 | 7.0 | 7.0 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Sollman, Corbin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 3.0 | 4.5 | 4.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Somers, Lainey** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 1.5 | 3.0 | 3.0 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |
| **South, Gerald** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.0 | 8.0 | 13.0 | 13.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:03 | 8/27/26 16:10 | 1:06 | | 1.0 | 1.0 | 1.0 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| Spieth, Adam | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 2.0 | 5.5 | 5.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Staggs, Douglas** | | | | | | | | |
| | **Credits Requested:** Drinking Water | | | **Total Credits Earned** | 3.0 | 2.5 | 5.5 | 5.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:42 | 8/27/26 16:10 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:37 | 8/28/26 9:10 | 0:32 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Standridge, Chris** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 10.0 | 3.0 | 13.0 | 13.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Stanford, Steven** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.5 | 1.5 | 13.0 | 13.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:16 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Stanton, Taylor** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 9.0 | 3.5 | 12.5 | 12.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Staton, Kevin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Stehno, Edward** | | | | | | | | |
| | **Credits Requested:** Wastewater, PDHs | | | **Total Credits Earned** | 8.0 | 0.5 | 8.5 | 8.5 |
| | What's Coming Down The Pipe | 8/26/26 8:14 | 8/26/26 8:59 | 0:44 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| **Steinman, Andrew** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:10 | 8/27/26 16:10 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Steinman, Eric** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 3.5 | 7.0 | 7.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 9:59 | 8/27/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:25 | 1:05 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Stephanoff, Brenda** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:16 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Stewart, Briyana** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Stewart, Edward** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.0 | 1.5 | 4.5 | 4.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Stewart, JJ** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 4.0 | 1.0 | 5.0 | 5.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| Stickel, Miranda | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 7.0 | 4.5 | 11.5 | 11.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:44 | 8/26/26 10:40 | 0:55 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:15 | 0:55 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |
| **Stopher, Brenda** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 6.5 | 6.0 | 12.5 | 12.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Strehl, Joe** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 1.0 | 2.5 | 2.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Strunk, Zachary** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 8.0 | 1.0 | 9.0 | 9.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:27 | 8/26/26 12:25 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:27 | 8/27/26 9:56 | 0:28 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:30 | 8/28/26 9:50 | 0:19 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Stultz, Paul** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.5 | 1.0 | 12.5 | 12.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:27 | 8/26/26 12:25 | 0:57 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:15 | 0:55 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Su, Hongji** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.5 | 1.0 | 3.5 | 3.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Sucharitakul, Andy** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:54 | 8/27/26 8:25 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:32 | 8/27/26 9:00 | 0:27 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Susnjara, Aiden** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 2.5 | 4.0 | 4.0 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:41 | 8/26/26 10:40 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:28 | 8/26/26 15:20 | 0:52 | 1.0 | | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Talley, Bradley** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Talley, Jake** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.5 | 2.5 | 7.0 | 7.0 |
| | What's Coming Down The Pipe | 8/26/26 8:14 | 8/26/26 8:59 | 0:44 | 0.5 | | 0.5 | 0.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:20 | 8/28/26 8:25 | 0:04 | 0.0 | | 0.0 | 0.0 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:41 | 8/28/26 9:10 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Tanner, Karl** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 0.5 | 2.0 | 2.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Tavallali, Ali** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Taylor, Bryce** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.0 | 2.0 | 7.0 | 7.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Taylor, Jason** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Teague, Philip** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 0.5 | 4.5 | 4.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:44 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Tenaglia, Emily** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 1.0 | 4.0 | 4.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:12 | 8/27/26 8:25 | 0:12 | 0.0 | | 0.0 | 0.0 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **tennis, david** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 4.0 | 7.0 | 7.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Terry, Josh** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.5 | 0.0 | 1.5 | 1.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| **Teusch, Abby** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Teusch, Joseph** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 8.0 | 4.5 | 12.5 | 12.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:32 | 8/26/26 12:25 | 0:52 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:16 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:38 | 8/27/26 16:10 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Theel, Mark** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 12:46 | 8/27/26 14:00 | 1:13 | | 1.0 | 1.0 | 1.0 |
| **Theodorou, Bob** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.0 | 3.5 | 10.5 | 10.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:43 | 8/27/26 10:30 | 0:46 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:01 | 8/28/26 8:30 | 0:28 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Thompson, Andrew** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.5 | 4.5 | 12.0 | 12.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:52 | 8/27/26 8:25 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Thompson, Charles** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 1.0 | 3.0 | 3.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Thompson, Jay** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 2.0 | 2.5 | 4.5 | 4.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:08 | 8/27/26 8:25 | 0:16 | | 0.0 | 0.0 | 0.0 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Thompson, Kim** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.0 | 1.5 | 6.5 | 6.5 |
| | What's Coming Down The Pipe | 8/26/26 8:01 | 8/26/26 9:00 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:39 | 8/27/26 16:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:29 | 0.5 | | 0.5 | 0.5 |
| **Thompson, Larry** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 2.0 | 0.5 | 2.5 | 2.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:17 | 8/27/26 10:30 | 0:12 | 0.0 | | 0.0 | 0.0 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Thurin, Leo** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 7.5 | 3.0 | 10.5 | 10.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water...but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Tice, Steven** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.5 | 1.5 | 5.0 | 5.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:17 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| Tittle, Piper | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.0 | 5.0 | 10.0 | 10.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:53 | 8/27/26 8:25 | 0:31 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Toole, Robyn** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 3.5 | 7.5 | 7.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Trich, Tyler** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 4.0 | 0.0 | 4.0 | 4.0 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Trinkle, Todd** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Trollier, Ali** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Truemner, Madison** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.5 | 3.5 | 8.0 | 8.0 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Tun, Khin Thandar** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.0 | 5.0 | 10.0 | 10.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:17 | 0:57 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:11 | 8/27/26 8:25 | 0:13 | | 0.0 | 0.0 | 0.0 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:58 | 8/27/26 16:10 | 0:11 | 0.0 | | 0.0 | 0.0 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:12 | 8/28/26 8:25 | 0:13 | 0.0 | | 0.0 | 0.0 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:44 | 1:04 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Turcich, Ben** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.5 | 3.0 | 3.0 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Turner, Michael** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 6.5 | 2.0 | 8.5 | 8.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:44 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Turpin, Leslie** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 2.0 | 2.5 | 2.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Uhlenhake, Karen** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 10.5 | 0.0 | 10.5 | 10.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:57 | 8/27/26 8:25 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Upendrakumar, KC "Kumar"** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 10.0 | 2.5 | 12.5 | 12.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:30 | 8/26/26 12:25 | 0:54 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:36 | 8/27/26 10:30 | 0:53 | | 1.0 | 1.0 | 1.0 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:22 | 8/28/26 9:50 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Urban, Derek** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 8.5 | 1.5 | 10.0 | 10.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Utley, Matthew** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Vachet, Wendy** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | Current Trends in Financing and Grants | 8/27/26 9:42 | 8/27/26 9:55 | 0:12 | 0.0 | | 0.0 | 0.0 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Van Damme, Morgan** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 1.0 | 2.0 | 2.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Van Hoy, Douglas** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **VanSickle, Richard** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.5 | 1.5 | 7.0 | 7.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:18 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Varshney, Shreya** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.0 | 3.0 | 6.0 | 6.0 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:16 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 10:03 | 8/28/26 10:24 | 0:21 | | 0.0 | 0.0 | 0.0 |
| | Indiana Law & Statutes | 8/28/26 11:16 | 8/28/26 11:50 | 0:33 | | 0.5 | 0.5 | 0.5 |
| **Velazquez, Ruben** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 4.5 | 8.5 | 8.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:29 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Vigil, Cristina** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 10.0 | 1.0 | 11.0 | 11.0 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:16 | 0:56 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | The Importance of Pipetting in Laboratory Accuracy and Compliance | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:37 | 8/27/26 16:10 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Activated Sludge Fundamentals: Connecting Process Theory to Practice | 8/28/26 9:20 | 8/28/26 9:51 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Software Tools for Use in Field Data Collection and Analysis | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Villalobos Tempest, Maritza** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 4.0 | 8.0 | 8.0 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:27 | 8/26/26 15:20 | 0:53 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Electrical System Condition Assessment and Replacement Planning | 8/26/26 16:34 | 8/26/26 16:59 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 13:33 | 0:33 | | 0.5 | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:10 | 8/27/26 16:10 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Walker, Brent** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 9.5 | 3.0 | 12.5 | 12.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:26 | 8/26/26 12:25 | 0:58 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:18 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:39 | 8/27/26 16:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Jeopardy...An Interactive Quiz | 8/27/26 16:20 | 8/27/26 16:46 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| **Walus, Al** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.5 | 0.0 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Wampler, Terry** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 12.5 | 1.0 | 13.5 | 13.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:28 | 8/26/26 12:25 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:26 | 8/27/26 9:56 | 0:29 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Wamsley, Pete** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 4.0 | 4.5 | 4.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Wang, Justin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Ware, Jordan** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:39 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Water Conservation: Doing the Right Thing, Still Causing Problems... | 8/28/26 8:00 | 8/28/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Washington, Tara** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 7.5 | 3.5 | 11.0 | 11.0 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Flattening the Learning Curve: AI and Digital Twin Tools to Accelerate Wastewater Collection System Operator Training and Optimization | 8/26/26 16:00 | 8/26/26 17:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Whole Effluent Toxicity Testing: An Overview | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:33 | 8/27/26 11:05 | 0:31 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:37 | 8/27/26 16:10 | 0:32 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:43 | 8/28/26 9:10 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Watkins, Scot** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 1.0 | 0.0 | 1.0 | 1.0 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Watson, Josh** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 5.0 | 3.0 | 8.0 | 8.0 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:59 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:33 | 8/27/26 10:30 | 0:56 | | 1.0 | 1.0 | 1.0 |
| | Beyond Pass/Fail: A Practical Guide to Making Sense of WET Testing and Toxicity Response | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Weaver, Jason** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 11.5 | 1.0 | 12.5 | 12.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:18 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Finding Synergy between Your Treatment Plants – Drinking Water Backwash Operations and Impacts on Wastewater Infrastructure | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | HAVE YOU GOTTEN WHAT YOU WANTED? Performance Enhancements to Protective Coatings Since Y2k | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:12 | 8/28/26 9:50 | 0:38 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Crawling Out of the Graveyard: Practical Learnings from Utilities Transitioning from 24/7 Staffing | 8/28/26 11:20 | 8/28/26 11:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| **Webb DrPH, Dr. Bryan** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 3.5 | 1.0 | 4.5 | 4.5 |
| | What's Coming Down The Pipe | 8/26/26 8:00 | 8/26/26 8:58 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:18 | 0:58 | 1.0 | | 1.0 | 1.0 |
| **Weber, Samuel** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Wehmeyer, Emily** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 2.0 | 2.0 | 2.0 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Weigel, Dick** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 5.0 | 8.5 | 8.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Welch, Elijah** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 6.0 | 7.5 | 13.5 | 13.5 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 0:59 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Chaos-Proof | 8/27/26 15:10 | 8/27/26 16:10 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Wendholt, Kara** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 5.5 | 8.5 | 8.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | It's Alive! CSO Projects that work. | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Wenger, Erin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 0.5 | 4.0 | 4.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | You can lead a mussel to water…but you can't make it survive | 8/27/26 9:30 | 8/27/26 9:55 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Wenning, Jason** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Wessler, Marty** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 1.5 | 3.5 | 3.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:34 | 8/26/26 12:25 | 0:50 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Westermann, Adam** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Can I Swim Here? Impaired Waters and How RAFT Fills Data Gaps | 8/26/26 14:20 | 8/26/26 15:22 | 1:02 | | 1.0 | 1.0 | 1.0 |
| **Westfall, Jessie** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 0.0 | 1.0 | 1.0 | 1.0 |
| | LDI Meet & Greet | 8/27/26 13:00 | 8/27/26 14:00 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Whalen, Dustin** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 1.5 | 2.0 | 3.5 | 3.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Whitaker, Matt** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.0 | 4.0 | 6.0 | 6.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:18 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:14 | 8/27/26 13:25 | 0:11 | 0.0 | | 0.0 | 0.0 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | IDEM Update | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **White, Amanda** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 4.0 | 6.5 | 6.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:29 | 8/26/26 12:25 | 0:55 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:18 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 15:51 | 8/26/26 16:25 | 0:33 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:30 | 8/26/26 17:01 | 0:31 | | 0.5 | 0.5 | 0.5 |
| **White, Kevin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 3.5 | 2.0 | 5.5 | 5.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:18 | 0:58 | 1.0 | | 1.0 | 1.0 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:34 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Whitehead, Mary** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Wichman, David** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 0.5 | 4.0 | 4.0 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:19 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Life Cycle Cost Analysis: Why the Planning Period Matters | 8/27/26 8:35 | 8/27/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:20 | 8/27/26 9:55 | 0:35 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Wiggins, Derick** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 5.5 | 1.5 | 7.0 | 7.0 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:29 | 8/26/26 12:25 | 0:55 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Wilgenbusch, Chelsie** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 4.0 | 6.5 | 10.5 | 10.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | From Flood Fighting to Informed Planning: Using Remote Monitoring to Gain System Visibility | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Current Trends in Financing and Grants | 8/27/26 9:36 | 8/27/26 9:55 | 0:18 | 0.0 | | 0.0 | 0.0 |
| | Utility Shared Cost and Best Practices | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Planning for Potable Reuse in a No-Rules Landscape: Strategies to Stay Ahead | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Wilhelm-Olsen, Tori** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 1.5 | 2.5 | 2.5 |
| | Points That Matter: A Logic-Driven ERP for Industrial Pretreatment Programs | 8/26/26 9:38 | 8/26/26 10:05 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Wilhelmus, Vince** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 0.0 | 2.0 | 2.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Williams, Craig** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water, PDHs | | | **Total Credits Earned** | 3.0 | 2.5 | 5.5 | 5.5 |
| | Drive to Survive | 8/26/26 9:39 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Jar Testing Techniques to Address the Impacts of Cleaners on Wastewater | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Audit Ready: Navigating the IDEM Pretreatment Inspection | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Total Cyanide Analysis: Old and New | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Enhancing Sustainable WWTP Centralisation Through Informed Decision-Making Tools | 8/28/26 8:40 | 8/28/26 9:06 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Advancing Water Reuse Through Regulatory Reform: The Indiana Perspective | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Wilson, Brian** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 0.0 | 3.5 | 3.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Wilson, Don** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 6.5 | 3.0 | 9.5 | 9.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Small Plants Need Dewatering Too | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | 327 IAC 6.1 Land Application Proposed Rule Changes | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Meeting the Moment: A Comprehensive Thermal Drying Program for Growth, Industrial Loadings, and Class A Biosolids | 8/26/26 10:15 | 8/26/26 10:40 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:30 | 8/27/26 9:56 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| Wilson, Drew | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 2.0 | 5.5 | 7.5 | 7.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:29 | 8/26/26 12:25 | 0:55 | | 1.0 | 1.0 | 1.0 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Ethics in Engineering | 8/28/26 9:20 | 8/28/26 10:24 | 1:04 | | 1.0 | 1.0 | 1.0 |
| | Indiana Law & Statutes | 8/28/26 10:40 | 8/28/26 11:50 | 1:10 | | 1.0 | 1.0 | 1.0 |
| **Wiseley, Jackson** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 0.5 | 1.5 | 1.5 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Withers, PE, ENV SP, Amanda** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 1.0 | 1.0 | 2.0 | 2.0 |
| | Charting the Course | 8/26/26 12:35 | 8/26/26 13:35 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Wofford, Jamel** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 0.0 | 2.0 | 2.0 | 2.0 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:30 | 8/27/26 10:30 | 1:00 | | 1.0 | 1.0 | 1.0 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Monticello's Digital Journey: Adoption of Artificial Intelligence (AI) at Monticello's Wastewater Treatment Plant | 8/27/26 10:52 | 8/27/26 11:05 | 0:12 | 0.0 | | 0.0 | 0.0 |
| | LDI Meet & Greet | 8/27/26 12:47 | 8/27/26 14:00 | 1:12 | | 1.0 | 1.0 | 1.0 |
| **Wood, Anthony** | | | | | | | | |
| | **Credits Requested:** Wastewater, Drinking Water | | | **Total Credits Earned** | 1.0 | 1.0 | 2.0 | 2.0 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:11 | 8/27/26 8:25 | 0:13 | | 0.0 | 0.0 | 0.0 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 10:15 | 8/27/26 10:30 | 0:14 | | 0.0 | 0.0 | 0.0 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Becoming a Leader Before You Have the Title | 8/28/26 10:40 | 8/28/26 11:45 | 1:05 | | 1.0 | 1.0 | 1.0 |
| **Wright, Kameryn** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 3.5 | 0.5 | 4.0 | 4.0 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:12 | 8/27/26 8:25 | 0:12 | 0.0 | | 0.0 | 0.0 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Hobart Main Lift Station and Forcemain GSC | 8/27/26 16:20 | 8/27/26 16:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Yates, Brian** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 0.0 | 0.5 | 0.5 | 0.5 |
| | Reimaging Water: A Beginner's Guide to Reuse | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| **Young, Connor** | | | | | | | | |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | **Credits Requested:** | | | **Total Credits Earned** | 3.0 | 0.5 | 3.5 | 3.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 12:54 | 8/27/26 13:25 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Young, Harlod** | | | | | | | | |
| | **Credits Requested:** Wastewater | | | **Total Credits Earned** | 0.5 | 1.0 | 1.5 | 1.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| **Yumibe, Lauren** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.5 | 2.5 | 8.0 | 8.0 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 8:39 | 0:39 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | When the Landfill Says No More Sludge: ELODE May be the Answer | 8/26/26 14:20 | 8/26/26 15:19 | 0:59 | 1.0 | | 1.0 | 1.0 |
| | Improving Utility Operations and Maintenance through Technical Assistance in the Great Lakes Region | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | Excessive I/I May not Always be the Villian for WWTP Effluent Violations | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | The virtual wastewater world | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Drugged Waters | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Creating the Largest Disc Filter Facility in North America - Kalamazoo's Tertiary Treatment Upgrade | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Moving Bed Biofilm Reactor (MBBR) Technology and Case Studies | 8/28/26 10:00 | 8/28/26 10:30 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Wastewater lagoon operation, maintenance and improved performance | 8/28/26 10:40 | 8/28/26 11:10 | 0:30 | 0.5 | | 0.5 | 0.5 |
| | Compliance at the End of a CSO LTCP | 8/28/26 11:20 | 8/28/26 11:54 | 0:34 | | 0.5 | 0.5 | 0.5 |
| **Zafarana, Gavin** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.5 | 4.5 | 10.0 | 10.0 |
| | From Paper to Portal: Denver's Digital Transformation for Storm Drainage Planning | 8/26/26 8:00 | 8/26/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Treatability Studies for Designing an Advanced CSO Treatment Facility | 8/26/26 8:35 | 8/26/26 9:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integrated Planning Success: How Terre Haute is Balancing LTCP Requirements, Stormwater Improvements, and Non-CSO Sanitary Needs Within Regulatory Frameworks for Clean Water Results | 8/26/26 9:40 | 8/26/26 10:40 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | Preparing for the Future: Wastewater Infrastructure Lessons from South Bend | 8/26/26 10:50 | 8/26/26 11:15 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | It Didn't Include Quantities – Find and Fix Sewer Rehabilitation Case Studies | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Storm BMP Lessons from the Field: The Good, the Bad and the Plugged Outlet | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Portage Sanitary District - Solar Power Improvements | 8/26/26 16:35 | 8/26/26 17:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Common Math: JPEGs, Noise-Canceling Headphones, and Wastewater Early Warning System | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Delivering Water and Wastewater on a Co-Location Shallow-Groundwater Site | 8/27/26 7:50 | 8/27/26 8:25 | 0:34 | 0.5 | | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | SRF Updates | 8/28/26 8:00 | 8/28/26 8:30 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | SRF Q/A | 8/28/26 8:40 | 8/28/26 9:10 | 0:30 | | 0.5 | 0.5 | 0.5 |
| | Indiana Wastewater Monitoring Program Updates | 8/28/26 9:20 | 8/28/26 9:50 | 0:30 | | 0.5 | 0.5 | 0.5 |
| **Zak, Nick** | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 2.5 | 0.5 | 3.0 | 3.0 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Design-Build Delivers: South Bend's CSO Reduction Success Story | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Utilizing Build-Operate-Transfer (BOT) Delivery to Replace a Regional Lift Station and 16,000' of Force Main | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Three Lift Station Design Case Studies | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Nothing is Quicker than Sound: Acoustic-Based Sewer Inspections | 8/27/26 15:22 | 8/27/26 15:35 | 0:12 | 0.0 | | 0.0 | 0.0 |
| | Best Practices for Sanitary Sewer Master Planning in Communities with Combined Sewer Systems | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| **Zielinski, Mike** | | | | | | | | |
| | **Credits Requested:** | | | **Total Credits Earned** | 5.5 | 2.0 | 7.5 | 7.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:08 | 8/26/26 8:39 | 0:31 | 0.5 | | 0.5 | 0.5 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Keynote Address from Dave Rearick who Circumnavigated the World in a Sailboat | 8/26/26 11:25 | 8/26/26 12:25 | 1:00 | | 1.0 | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:35 | 8/26/26 17:01 | 0:26 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An Operator's Perspective on Covering our ASSets | 8/27/26 9:49 | 8/27/26 10:30 | 0:40 | | 0.5 | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Process Simulation-Based Evaluation of Low DO Aeration Strategies for Energy Efficiency and Stringent Effluent Quality | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | The Evolution of Biological Phosphorus Removal: Science, Design, and Today's Most-Trusted Solutions | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Integration of Artificial Intelligence (AI) in wastewater treatment plants. | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| Ziino, Kate | | | | | | | | |
| | **Credits Requested:** PDHs | | | **Total Credits Earned** | 7.5 | 2.0 | 9.5 | 9.5 |
| | Advancing Wastewater Treatment to Meet Modern Development in Cumberland, Indiana | 8/26/26 8:00 | 8/26/26 9:00 | 1:00 | 1.0 | | 1.0 | 1.0 |
| | Drive to Survive | 8/26/26 9:40 | 8/26/26 10:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | A Deployed Chatbot for Wastewater Troubleshooting: Final Benchmark Results from a Utility Case Study | 8/26/26 10:15 | 8/26/26 11:16 | 1:01 | 1.0 | | 1.0 | 1.0 |
| | One Small Step for Industrial Wastewater; One Giant Leap for Odor Prevention. | 8/26/26 14:20 | 8/26/26 14:45 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Physical and Chemical Process | 8/26/26 14:55 | 8/26/26 15:20 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Blowing Energy!!! Optimizing Aerobic Digestion | 8/26/26 16:00 | 8/26/26 16:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Digging Deeper: Data-Driven Decisions for Current and Future Facilities in Floodplains and Floodways | 8/26/26 16:32 | 8/26/26 17:01 | 0:29 | | 0.5 | 0.5 | 0.5 |
| | Risk Based Asset Management for Utilities | 8/27/26 8:00 | 8/27/26 8:25 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Changing CSO Level of Control - Muncie LTCP Optimization | 8/27/26 8:35 | 8/27/26 9:01 | 0:26 | 0.5 | | 0.5 | 0.5 |
| | An I for an I: A Start to Finish Look at Identifying and Improving Sanitary Sewer Conditions in a Residential Neighborhood | 8/27/26 9:28 | 8/27/26 9:56 | 0:27 | 0.5 | | 0.5 | 0.5 |
| | Stop The Spread: Managing Sinkhole Growth Under Flood Conditions | 8/27/26 10:05 | 8/27/26 10:30 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | When it Rains it Pours: WWTP Wet Weather Operation Strategies | 8/27/26 10:40 | 8/27/26 11:05 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Speedway Wet Weather Treatment Expansion | 8/27/26 13:00 | 8/27/26 13:25 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | Pokagon State Park Infrastructure Improvements | 8/27/26 13:35 | 8/27/26 14:00 | 0:25 | | 0.5 | 0.5 | 0.5 |
| | Weathering the Storm: Elkhart Indiana's Cloth Media Disc Filters Success | 8/27/26 15:10 | 8/27/26 15:35 | 0:25 | 0.5 | | 0.5 | 0.5 |

| Full Name | Session Name | Session Check-In Date (GMT-05:00) Easter | Checkout Date (GMT-05:00) Eastern [US & Canada] | Duration (Minutes) | WW Technical | WW General | DW General | Engineering PDH |
|---|---|---|---|---|---|---|---|---|
| | Low Flows, High Hopes: Designing a New Utility | 8/27/26 15:45 | 8/27/26 16:10 | 0:25 | 0.5 | | 0.5 | 0.5 |
| | The Double Salt Effect: Modeling Salinity Impact from Immediate Roadside Runoff versus Delayed Sediment Desorption in Aquatic Systems | 8/27/26 16:20 | 8/27/26 16:50 | 0:30 | | 0.5 | 0.5 | 0.5 |